

***GALLANT***

***GALLANT***



**PCR & LTR  
Tire Catalogue**



**Qualifications:**



**IATF16949**



**ISO9001**



**DOT**




**ECE**



**INMETRO**



**GCC**



**BIS**



**SNI**



**SONCAP**

**TABLE OF CONTENTS**

**PCR**

 **SPORT s2** ..... P1

 **COMFORT c2** ..... P3

**SUV**


 **SUV HP2** ..... P5

 **SUV HT2** ..... P6

 **SUV AT2** ..... P7

 **SUV MT1** ..... P8

**LIGHT TRUCK**

 **VAN v3** ..... P10


# GALLANT

ULTRA HIGH PERFORMANCE & ASYMMETRICAL PATTERN DESIGN



## SPORT s2

Series	Size	Load Index	Speed Rating	UTQG
35	255/35R18	94XL	W	280AAA
	235/35R19	91XL	W	280AAA
	255/35R19	96XL	W	280AAA
40	205/40R17	84XL	W	280AAA
	215/40R17	87XL	W	280AAA
	225/40R18	92XL	W	280AAA
45	235/40R18	95XL	W	280AAA
	245/40R18	97XL	W	280AAA
	195/45R16	84XL	V	280AAA
	205/45R16	87XL	W	280AAA
	205/45R17	88XL	W	280AAA
	215/45R17	91XL	W	280AAA
50	225/45R17	94XL	W	280AAA
	235/45R17	97XL	W	280AAA
	245/45R17	99XL	W	280AAA
	225/45R18	95XL	W	280AAA
	245/45R18	100XL	W	280AAA
	195/50R15	86XL	V	280AAA
55	195/50R16	88XL	V	280AAA
	205/50R16	91XL	W	280AAA
	225/50R16	92	V	280AAA
	205/50R17	93XL	W	280AAA
	215/50R17	95XL	W	280AAA
	225/50R17	98XL	W	280AAA
55	195/55R15	85	V	280AAA
	195/55R16	91XL	V	280AAA
	205/55R16	94XL	W	280AAA
	215/55R16	97XL	W	280AAA
	225/55R16	99XL	V	280AAA
	215/55R17	98XL	W	280AAA
	225/55R17	101XL	W	280AAA
	235/55R17	103XL	W	280AAA



15-19 Inch Speed Rating: V-W  
35-55 Series UTQG: 280AAA

### Features

Four wide circumferential grooves, lateral grooves with fine sipes and continuous block patterns on shoulder

Variable pitch tread design

Joint-less nylon band

Silica tread compound

Rim protector

### Benefits

Provide efficient water evacuation, outstanding wet performance and enhanced stability at high speed cornering

Superior comfort and quiet ride

Improve tread stiffness and uniformity and deliver high speed stability

Provide better performance on wet surface and reduce rolling resistance

Protect wheels from curb damage


### Stability

Continuous block patterns on shoulder reduce pattern deformation during driving with prompt response and enhanced stability at high speed cornering

### Water Evacuation

Four wide circumferential grooves deliver efficient water evacuation and prevent aquaplaning

Lateral grooves with fine sipes provide outstanding wet performance



Jointless and high density nylon improve high speed stability & maximize steering response  
**Improve HIGH SPEED STABILITY**

Multi-inner radius improves driving control while assuring performance at high speed  
**Improve CONTROL**

Special rim protector  
Protects wheels from curb damage

# GALLANT

PROVIDE A QUITE COMFORTABLE AND SAFE RIDE

## COMFORT c2

Series	Size	Load Index	Speed Rating	UTQG
55	185/55R15	82	V	400AA
	205/55R16	91	V	400AA
	165/60R14	75	H	400AA
60	185/60R14	82	H	400AA
	195/60R14	86	H	400AA
	165/60R15	77	H	400AA
	175/60R15	81	H	400AA
	185/60R15	84	H	400AA
	195/60R15	88	V	400AA
65	205/60R15	91	V	400AA
	195/60R16	89	H	400AA
	205/60R16	92	V	400AA
	215/60R16	99XL	H	400AA
	225/60R16	98	H	400AA
	155/65R13	73	T	400AA
	165/65R13	77	T	400AA
	155/65R14	75	T	400AA
	165/65R14	79	T	400AA
	175/65R14	82	H	400AA
185/65R14	86	H	400AA	
70	175/65R15	84	H	400AA
	185/65R15	88	H	400AA
	195/65R15	95XL	H	400AA
	195/65R15	91	V	400AA
	205/65R15	94	V	400AA
	215/65R15	96	H	400AA
	215/65R16	98	H	400AA
	145/70R12	69	T	400AA
	155/70R12	73	T	400AA
	165/70R12	77	T	400AA
175/70R12	80	T	400AA	
155/70R13	75	T	400AA	
165/70R13	79	T	400AA	
175/70R13	82	T	400AA	
185/70R13	86	H	400AA	
165/70R14	81	T	400AA	
175/70R14	84	T	400AA	
185/70R14	88	H	400AA	
195/70R14	91	H	400AA	
205/70R14	95	H	400AA	



12-16 Inch Speed Rating: T-V  
55-80 Series UTQG: 400AA


Series	Size	Load Index	Speed Rating	UTQG
70	205/70R15	96	H	400AA
	215/70R15	98	H	400AA
80	155/80R13	79	T	400AA

### Features

- Enhanced compound
- Four wide circumferential tread grooves
- Streamlined pattern design
- Optimized variable pitch tread design

### Benefits

- Excellent grip on wet and dry road conditions
- Deliver excellent performance on wet roads
- Provide excellent water evacuation and beautiful appearance
- Superior comfort and quiet ride




# GALLANT



ULTRA HIGH PERFORMANCE  
FOR LUXURY CROSSOVERS AND SUV

## SUV HP2



18-20 Inch  
40-55 Series

Speed Rating: V-W  
UTQG: 280AAA

Series	Size	Load Index	Speed Rating	UTQG
40	275/40R20	106XL	W	280AAA
45	275/45R20	110XL	V	280AAA
55	235/55R18	100	V	280AAA
	255/55R18	109XL	W	280AAA

# GALLANT




DELIVER GRIP AND LONG TREAD WEAR  
FOR ALL-SEASON HIGHWAY DRIVING

## SUV HT2



Series	Size	Load Index	Speed Rating	UTQG
60	235/60R16	100	H	440AA
	215/60R17	96	H	440AA
	225/60R17	99	H	440AA
	235/60R17	102	H	440AA
	235/60R18	107XL	V	440AA
65	225/65R17	102	H	440AA
	235/65R17	108XL	H	440AA
	245/65R17	111XL	H	440AA
	265/65R17	112	H	440AA
	215/70R16	100	H	440AA
70	225/70R16	103	H	440AA
	235/70R16	106	H	440AA
	245/70R16	111XL	H	440AA
	265/70R16	112	H	440AA



16-18 Inch

Speed Rating: H-V

60-70 Series

UTQG: 440AA

### Features

- Asymmetric tread pattern
- Wide circumferential grooves
- A straight rib block
- Silica enriched compound

### Benefits

- Utilizes two distinct tread patterns that enable optimal dry traction combined with all-season capability
- Effectively evacuate water and significantly enhance slipping resistance for outstanding wet handling
- Applied to the outside of the tire's contact patch helps to prevent decrease road noise and increase cornering grip
- Provide superior traction and grip in wet and dry condition, reduce rolling resistance

### Features

- Four circumferential grooves and open shoulder slots
- High-density sipes with silica compound
- Variable pitch pattern and optimized footprint design
- Solid center ribs
- Joint-less nylon band

### Benefits

- Prevent aquaplaning with enhanced wet grip performance
- Deliver a smooth ride, lower noise and improve traction on dry and wet roads
- Superior comfort and quiet ride
- Provide steering stability and deliver a comfortable ride
- Improve tread stiffness and uniformity and deliver high speed stability

# GALLANT



ALL-TERRAIN 4x4 SUV TIRE OUTSTANDING  
ON AND OFF-ROAD PERFORMANCE

## SUV AT2

Series	Size	Ply Rating	Load Index	Speed Rating	UTQG
SUV	31x10.50R15LT	6PR	109	R	
	LT255/70R15	6PR	107/103	S	
	LT265/70R17	10PR	121/118	S	
	LT215/75R15	6PR	100/97	S	
	LT235/75R15	6PR	104/101	R	
	LT245/75R16	10PR	120/116	S	
	LT265/75R16	10PR	123/120	R	
	245/65R17		107	T	460AB
	265/65R17		112	T	460AB
	235/70R16		106	T	460AB
	245/70R16		107	T	460AB
	255/70R16		111	T	460AB
	265/70R16		112	T	460AB
	245/70R17		110	T	460AB
	245/75R16		111	S	460AB



### Features

- Special tread compound and wide footprint
- Block tread design with multiple-sipes
- Open shoulder grooves
- Joint-less nylon band
- Strong structure design

### Benefits

- Enhance tread life and deliver excellent braking on wet and dry roads
- Provide outstanding off-road traction
- Prevent aquaplaning with enhanced wet grip performance
- Improve tread stiffness and uniformity and deliver high speed stability
- Provide reliability and durability

# GALLANT



OUTSTANDING PERFORMANCE IN  
EXTREME DRIVING CONDITION

## SUV MT1

Series	Size	Ply Rating	Load Index	Speed Rating
SUV	31x10.50R15LT	6PR	109	Q
	33x12.50R15LT	6PR	108	Q
	33x12.50R20LT	10PR	114	Q
	35x12.50R20LT	10PR	121	Q
	LT265/70R17	10PR	121/118	Q
	LT235/75R15	6PR	104/101	Q
	LT245/75R16	10PR	120/116	Q
	LT265/75R16	10PR	123/120	Q



### Features

- Aggressive pattern design
- High void ratio and open shoulder design
- Special casing profile and solid shoulder pattern
- Reinforced casing construction

### Benefits

- Outstanding traction in all conditions
- Excellent resistance to aquaplaning and self-cleaning performance
- Enhanced traction and cornering performance
- Superior overall resistance to damage

# GALLANT


HIGH DURABILITY ENHANCED  
TRACTION COMFORTABLE RIDE

## VAN v3

Series	Size	Ply Rating	Load Index	Speed Rating	Series	Size	Ply Rating	Load Index	Speed Rating	
LT	145R12LT	8PR	86/84	Q	LT	215/65R16C	8PR	109/107	T	
	155R12C	8PR	88/86	Q		235/65R16C	8PR	115/113	T	
	155R13C	8PR	90/88	Q		165/70R13LT	6PR	88/86	S	
	165R13C	8PR	94/92	R		195/70R15C	8PR	104/102	R	
	185R14C	8PR	102/100	R		205/70R15C	8PR	106/104	R	
	195R14C	8PR	106/104	R		215/70R15C	8PR	109/107	R	
	205R14C	8PR	109/107	Q		225/70R15C	8PR	112/110	R	
	185R15C	8PR	103/102	R		185/75R16C	8PR	104/102	R	
	195R15C	8PR	106/104	R		195/75R16C	8PR	107/105	R	
	175/65R14C	6PR	90/88	T		205/75R16C	8PR	110/108	R	
	195/65R16C	8PR	104/102	T		215/75R16C	10PR	116/114	R	
	205/65R16C	8PR	107/105	T						



## Technical File:



### Speed Symbols

SI	KM/H
B	50
C	60
D	65
E	70
F	80
G	90
J	100
K	110
L	120
M	130
N	140
P	150
Q	160
R	170
S	180
T	190
U	200
H	210
V	240
W	270
Y	300
Z	Above240

### Load Capacity Index

LI	KG	LI	KG	LI	KG	LI	KG
50	190	70	335	90	600	110	1060
51	195	71	345	91	615	111	1090
52	200	72	355	92	630	112	1120
53	206	73	365	93	650	113	1150
54	212	74	375	94	670	114	1180
55	218	75	387	95	690	115	1215
56	224	76	400	96	710	116	1250
57	230	77	412	97	730	117	1285
58	236	78	425	98	750	118	1320
59	243	79	437	99	775	119	1360
60	250	80	450	100	800	120	1400
61	257	81	462	101	825	121	1450
62	265	82	475	102	850	122	1500
63	272	83	487	103	875	123	1550
64	280	84	500	104	900	124	1600
65	290	85	515	105	925	125	1650
66	300	86	530	106	950	126	1700
67	307	87	545	107	975	127	1750
68	315	88	560	108	1000	128	1800
69	325	89	580	109	1030	129	1850
						130	1900

### Features

- Reinforced structure composed of two steel belts and full nylon protector
- Zigzag vertical groove with continuous sipes
- Special abrasion-resistant tread compound
- Solid shoulder design with wide grooves and continuous sipes

### Benefits

- Deliver extra puncture resistance and robust load bearing capacity
- Provide excellent wet and dry grip sipes
- Provide enhanced mileage with reduced heat
- Provide responsive handling, even wear and excellent water evacuation